

Lomo Eco Heat Pump**TOSOT****MODEL: TW18HQ1B2D**

Project Name:

Location:

Engineer Name:

Purshaser:

Unit Designation:

Schedule No.

SubmittedTo:

Date:

**General Features**

- Low Ambient Cooling to 5 °F
- Multiple Fan Speeds
- Memory Function
- Fan Delay Function
- Intelligent Pre-heating / Defrost
- Control lock

- Smart 1 Hertz Inverter Technology
- Load Protection Features
- Over-Current Protection
- Anti Freeze Protection
- LED display

Unit Performance:

Cooling:	-	-
Capacity (Min Rated Max, Btu/h)	4094-17400-20000	
SEER	17	
EER	8.53	
Heating:	-	-
Capacity (Min Rated Max, Btu/h)	4100-18000-21000	
HSPF	9	
COP (W/W)	3	

Compressor

Cooling Operation Ambient temp. Range	-18~46 C
Heating Operation Ambient temp. Range	-20~24 C
Compressor Type	Rotary
Compressor RLA (A)	10.2
Crankcase Heater	Yes

Electrical Specification

Power Supply	208-230V / 60Hz
Communications Wire Size	AWG 14
MOP (A)	20
MCA (A)	15
Cooling Rated Amps (A)	9
Heating Rated Amps (A)	7.8
Compressor RLA (A)	10.2
Indoor Fan Motor RLA (A)	0.4
Outdoor Fan Motor RLA(A)	0.7
Nominal Cooling Power Input (kW)	2.04
Nominal Heating Power Input (kW)	1.76

Unit Specification

Refrigerant Type	R410A
Refrigerant Charge (oz)	42.3
ODU Sound Pressure (dB(A))	56
IDU Sound Pressure (dB(A))	47/44/40/35
ODU Net Weight (lbs)	87.1
IDU Net Weight (lbs)	29.8
Dehumidifying (Pint/h)	3.8

Fan

ODU / IDU Type	Axial-flow/Cross-flow
Fan Motor Output (W)	60
Motor/Drive	Direct Drive
ODU Max Air Flow Rate (CFM)	1766
IDU Air Flow Rate (CFM)	335 / 471

Piping

Liquid Line (in, OD)	1/4
Gas Line (in, OD)	1/2
Additional Refrigerant (oz./ft.)	0.2
Max Pipe Length (ft.)	82
Piping Length (with factory charge, ft.)	24.6
Max Elevation (ft.)	33

AHRI certification Ref #



Lomo Eco Heat Pump




MODEL: TW18HQ1B2D

Lomo Eco Heat Pump

TOSOT

MODEL: TW18HQ1B2D

Outline Dimension Diagram



Outdoor Unit dimensions pending

Approved By:

Signature

Date

TOSOT

315 Boulevard Industriel, Châteauguay, Contact: +1 (450) 698-4000

QC, Canada J6J 4Z2

info@tosotamerica.com

tosotamerica.com